

# Table 15

## CHASSIS AND CAB, REGULAR CAB, 4X2

This OEM chassis and cab with a conventional 2 door regular cab and split bench seats, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

### Item # 73 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F250	GM C2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F20	CC25903
PAYLOAD min. kg. (lbs.)	1603 (3533)	3533	4000
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3900 (8600) / 4081 (9000)	8800	8600
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	128 (34)	38	34
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/ clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	3/SF	3	3
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT235/R/AS	LT235/R/AS	LT245/R/AS

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

#### Item # 73 - OPTIONAL EQUIPMENT

		FORD F250	GM C2500
<b>ENGINE</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	10/6.8,310,425	" , "
YD	DIESEL ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	8/6.0,325,550	" , "
EH	ENGINE BLOCK HEATER	Available	Available
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	N/A
PT	POWER TAKE OFF OPENING	Available	N/A
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
<b>SEATS</b>			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

This OEM chassis and cab with a conventional 2 door regular cab and split bench seats, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM C2500HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F30	CC25903 HD
PAYLOAD min. kg. (lbs.)	1950 (4300)	4637	4300
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200) / 489 (9900)	9900	9200
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	128 (34)	38	34
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	3/SF	3	3
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT245/R/AS	LT265/R/AS	LT245/R/AS

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

#### Item # 74 - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM C2500HD
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

This OEM chassis and cab with a conventional 2 door regular cab and split bench seats, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74A - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM C36003
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F36	CC36003
PAYLOAD min. kg. (lbs.)	2,593 (5718)	5718	5900
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4988 (11,000) / 5668 (12,500)	11,200	11400
CAB TO AXLE cm. (in.)	152 (60)	60	60
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 - speed	4 - speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	151 (40)	40	50
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	3/SF	3	3
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	LT215/R/AS	LT215/R/AS	LT215/R/AS

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

#### Item # 74A - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM C36003
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available	Available
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
DRL	DAYTIME RUNNING LIGHTS	Available	Std
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Std	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	SOLID BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



# Table 15 - CONTINUED

## CHASSIS AND CAB, REGULAR CAB, 4X2

This OEM chassis and cab with a conventional 2 door regular cab and bucket seats, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

### Item # 74B - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F450	GM C4500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F46	C4C042
PAYLOAD min. kg. (lbs.)	3940 (8686)	8686	8900
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	6802 (15,000) / 7256 (16,000)	15,000	16000
CAB TO AXLE cm. (in.)	152 (60)	60	60
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 6.8	10/6.8	8/8.1
HORSEPOWER (min.)	310	310	325
TORQUE (ft.-lb.)	425	425	450
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 - speed	5 - speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88	4.88
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	150
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	151 (40)	40	40
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	2/RS	2	2
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	19.5 w/dual rear	19.5	19.5
TIRES	Commercial 225/R/AS	Commercial 225/R/AS	Commercial 225/R/AS



## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

#### Item # 74B - OPTIONAL EQUIPMENT

		FORD F450	GM C4500
<b>BODY/CHASSIS</b>			
CA3	CAB TO AXLE LENGTH 136-138	N/A	Available
CA5	CAB TO AXLE LENGTH 320 CM (126 IN)	N/A	Available
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available	Available
CA1	CAB TO AXLE LENGTH 275 CM (108 IN)	Available	Available
CA4	CAB TO AXLE LENGTH 305 CM (120 IN)	Available	Available
<b>ENGINE</b>			
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Std	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	N/A
CU	CLOTH UPHOLSTERY	Available	Available
<b>SEATS</b>			
BF	SOLID BENCH FRONT SEAT	Available	N/A
SF	SPLIT FRONT BENCH SEAT	Available	Available
<b>TIRES AND WHEELS</b>			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
TT	TRACTION TREAD--REAR TIRES ONLY	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available





## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

This OEM chassis and cab with a conventional 2 door regular cab and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74D - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F550	GM C5500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F56	CC5C042
PAYLOAD min. kg. (lbs.)	5029 (11,086)	11,086	10800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	7,936 (17,500)/ 9069 (19,999)	17,500	18,000
CAB TO AXLE cm. (in.)	152 (60)	60	60
<b>ENGINE</b>			
ENGINE TYPE (Cylinder/Liter)	10 / 6.8	10/6.8	8/8.1
HORSEPOWER (min)	310	310	325
TORQUE (ft.-lb.)	425	425	450
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	5 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	comply
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88	4.78
<b>ELECTRIC</b>			
ALTERNATOR min. (Amps)	130	130	150
BATTERY min. (CCA)	750	750	770
<b>EXTERIOR</b>			
EXTRA WIDE MIRRORS, CAMPER TYPE	min.	comply	comply
REAR VIEW MIRRORS	dual sail mount foldaway	n/a	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	2	2	comply
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	151 (40)	40	40
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	comply
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	comply
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	3/split front bench	3	comply
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	19.5 w/dual rear	19.5 dual rear	19.5 dual rear
TIRES	commercial 225/R/AS	commercial 225/R/AS	commercial 225/R/AS

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X2

#### Item # 74D - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F550	GM C5500
CA3	CAB TO AXLE LENGTH 136-138	N/A	Available
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available	Available
CA1	CAB TO AXLE LENGTH 275 CM (108 IN)	Available	Available
CA4	CAB TO AXLE LENGTH 305 CM (120 IN)	Available	Available
CA5	CAB TO AXLE LENGTH 320 CM (126 IN)	N/A	Available
ENGINE			
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	N/A
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	N/A
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	N/A
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

This OEM chassis and cab with a conventional 2 door regular cab and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 77 - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F250
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		F 21
PAYLOAD min. kg. (lbs.)	1391 (3067)	3067
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3,990 (8,800)	8800
CAB TO AXLE cm. (in.)	142 (56)	56
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4
HORSEPOWER (min.)	260	260
TORQUE (ft.-lb.)	350	350
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply
SKID PLATE		comply
<b>DOORS</b>		
DOORS	2	2
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	128 (34)	38
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	3/BF	3
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	16 w/single rear	16
TIRES	LT235/R/AT	LT235/R/AT

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

#### Item # 77 - OPTIONAL EQUIPMENT

ENGINE		FORD F250
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T5	5 SPEED MANUAL TRANSMISSION	N/A
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available
DRL	DAYTIME RUNNING LIGHTS	Available
SZ	SNOWPLOW PREP PACKAGE	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

This OEM chassis and cab with a conventional 2 door regular cab and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 78 - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM K2500HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F31	CK25903 HD
PAYLOAD min. kg. (lbs.)	1896 (4181)	4181	4200
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200) / 4489 (9900)	9900	9200
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply	comply
SKID PLATE		comply	comply
<b>DOORS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	128 (34)	38	34
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	3/SF	3	3
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	OEM std	manual	automatic
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT235/R/AT	LT 265-AT	LT245/R/OO

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

#### Item # 78 - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM K2500HD
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T5	5 SPEED MANUAL TRANSMISSION	Available	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

This OEM chassis and cab with a conventional 2 door regular cab and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79A - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM K3600
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F37	CK36003
PAYLOAD min. kg. (lbs.)	2386 (5260)	5193	6100
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4988 (11,000) / 5668 (12,500)	11,200	12000
CAB TO AXLE cm. (in.)	152 (60)	60	60
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi- speed w/washers req	comply	comply
SKID PLATE		not available	comply
<b>DOORS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	151 (40)	40	50
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	3/SF	3	3
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	OEM std	manual	automatic
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	LT215/R/AT	LT235/R/AT	LT215/R/00



## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

#### Item # 79A - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM K3600
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available	Available
<b>ENGINE</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER ENGINE	Std	Available
	Eng-Cyl/HP/Torque	8/5.4,260,350	8/8.1,340,455
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	10/6.8,310,425	",,"
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	Available	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Std	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
<b>SEATS</b>			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
<b>TIRES AND WHEELS</b>			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

This OEM chassis and cab with a conventional 2 door regular cab and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79B - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F450
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		F47
PAYLOAD min. kg. (lbs.)	3803 (8383)	8316
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	6802 (15,000)/7256 (16,000)	15000
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
EXTRA WIDE MIRRORS, CAMPER TYPE	min	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	N/A
<b>DOORS</b>		
DOORS	2	2
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	3/BF	3
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R
<b>TOWING</b>		
FRONT TOW HOOKS	min.	comply

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

#### Item # 79B - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F450
CA1	CAB TO AXLE LENGTH 275 CM (108 IN)	Available
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available
ENGINE		
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
SZ	SNOWPLOW PREP PACKAGE	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

This OEM chassis and cab with a conventional 2 door regular cab and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79F - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F550
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		F57
PAYLOAD min. kg. (lbs.)	4893 (10,950)	10721
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	7936 (17,500)/9069 (19,999)	17500
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
EXTRA WIDE MIRRORS, CAMPER TYPE	min.	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	not available
<b>DOORS</b>		
DOORS	2	2
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	3/BF	3
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R

## Table 15 - CONTINUED

### CHASSIS AND CAB, REGULAR CAB, 4X4

#### Item # 79F - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F550
CA1	CAB TO AXLE LENGTH 275 CM (108 IN)	Available
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available
ENGINE		
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
SZ	SNOWPLOW PREP PACKAGE	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

# Table 16

## CHASSIS AND CAB, EXTENDED CAB, 4X2

This OEM chassis and cab with a conventional 4-door extended cab and front bench seat, as specified shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

### Item # 73C - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F250
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X20
PAYLOAD min. kg. (lbs.)	1461 (3220)	3220
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3854 (8500) / 4036 (8900)	8800
CAB TO AXLE cm.(in)	142 (56)	56
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4
HORSEPOWER (min.)	260	260
TORQUE (ft.-lb.)	350	350
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	143 (38)	38
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16 w/single rear	16
TIRES	LT235/R/AS	LT235/R/AS

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

#### Item # 73C - OPTIONAL EQUIPMENT

ENGINE		FORD F250
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
AT	ALL TERRAIN TIRES	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

This OEM chassis and cab with a conventional 4 door, extended cab, and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 73D - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM CC25953HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X30	CC25953 HD
PAYLOAD min. kg. (lbs.)	1814 (4000)	4348	4000
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200) / 4489 (9900)	9900	9200
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi- speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	128 (34)	38	34
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT235/R/AS	LT265/R/AS	LT245/R/AS

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

#### Item # 73D - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM CC25953HD
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	SOLID BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

This OEM chassis and cab with a conventional 4-door extended cab, and split front bench seat, as specified shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74C - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM C3600
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X36	CC36053
PAYLOAD min. kg. (lbs.)	2326 (5128)	5128	5500
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	5079 (11,200) / 5668 (12,500)	11,200	11400
CAB TO AXLE cm. (in.)	152 (60)	60	60
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	10/6.8	8/6.0
HORSEPOWER (min.)	300	310	300
TORQUE (ft.-lb.)	360	425	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	151 (40)	40	50
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm stereo
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	LT215/R/AS	LT215/R/AS	LT215/R/AS

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

#### Item # 74C - OPTIONAL EQUIPMENT

		FORD F350	GM C3600
<b>ENGINE</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,355
EH	ENGINE BLOCK HEATER	Available	Available
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
<b>SEATS</b>			
BF	SOLID BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

This OEM chassis and cab with a conventional 4-door, extended cab, and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74H - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F450
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X46
PAYLOAD min. kg. (lbs.)	3802 (8381)	8381
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	6802 (15,000) / 7256 (16,000)	15,000
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS	commercial 225/R/AS

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

#### Item # 74H - OPTIONAL EQUIPMENT

<b>ENGINE</b>		<b>FORD F450</b>
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std
	Eng-Cyl/HP/Torque	10/6.8,310,425
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>EXTERIOR</b>		
DRL	DAYTIME RUNNING LIGHTS	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
<b>TIRES AND WHEELS</b>		
TD	DELETE SPARE TIRE ASSEMBLY	Available
TT	TRACTION TREAD - REAR TIRES ONLY	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

This OEM chassis and cab with a conventional 4-door, extended cab and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74J - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F550
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X56
PAYLOAD min. kg. (lbs.)	4890 (10,781)	10,781
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	7936 (17,500) / 8163 (18,000)	17,500
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	Intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS	commercial 225/R/AS



## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X2

#### Item # 74J - OPTIONAL EQUIPMENT

		FORD F550
<b>ENGINE</b>		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std
	Eng-Cyl/HP/Torque	10/6.8,310,425
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>EXTERIOR</b>		
DRL	DAYTIME RUNNING LIGHTS	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
<b>TIRES AND WHEELS</b>		
TD	DELETE SPARE TIRE ASSEMBLY	Available
TT	TRACTION TREAD--REAR TIRES ONLY	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

This OEM chassis and cab with a conventional 4-door extended cab and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 77C - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F250
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X21
PAYLOAD min. kg. (lbs.)	1256 (2768)	2768
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3854 (8500) / 4036 (8,900)	8800
CAB TO AXLE cm. (in.)	142 (56)	56
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4
HORSEPOWER (min)	260	260
TORQUE (ft.-lb.)	350	350
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (38)	38
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	16 w/single rear	16
TIRES	LT 235/R/AT	LT235/R/AS
<b>TOWING</b>		
FRONT TOW HOOKS	min.	comply

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

#### Item # 77C - OPTIONAL EQUIPMENT

<b>ENGINE</b>		<b>FORD F250</b>
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>EXTERIOR</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
<b>TIRES AND WHEELS</b>		
TD	DELETE SPARE TIRE ASSEMBLY	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

# Table 16 - CONTINUED

## CHASSIS AND CAB, EXTENDED CAB, 4X4

This OEM chassis and cab with a conventional 4-door extended cab and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

### Item # 78C - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM CK25953HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X31	CK25953
PAYLOAD min. kg. (lbs.)	1694 (3734)	3734	3800
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200) / 4489 (9900)	9900	9200
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	10/6.8	8/6.0
HORSEPOWER (min.)	310	310	300
TORQUE (ft.-lb.)	425	425	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 - speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply	comply
SKID PLATES		comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	128 (34)	38	34
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	OEM std	manual	automatic
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT 235/R/AT	LT 265-AT	LT245/R/OO
<b>TOWING</b>			
FRONT TOW HOOKS	min.	comply	comply

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

#### Item # 78C - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM CK25953HD
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CJ	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

This OEM chassis and cab with a conventional 4-door extended cab and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79C - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM K3600
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X37	CK36053
PAYLOAD min. kg. (lbs.)	2164 (4771)	4704	5700
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4988 (11,000) / 5668 (12,500)	11200	12000
CAB TO AXLE cm. (in.)	152 (60)	60	60
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	10/6.8	8/6.0
HORSEPOWER (min.)	300	310	300
TORQUE (ft.-lb.)	360	425	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	151 (40)	40	50
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	Req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	OEM std	manual	automatic
WHEEL DIAMETER	16" w/dual rear	16	16
TIRES	LT225/R/AT	LT 235 AT	LT215/R/OO
<b>TOWING</b>			
FRONT TOW HOOKS	min.	comply	comply

# Table 16 - CONTINUED

## CHASSIS AND CAB, EXTENDED CAB, 4X4

### Item # 79C - OPTIONAL EQUIPMENT

		FORD F350	GM K3600
<b>ENGINE</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
<b>SEATS</b>			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
<b>TIRES AND WHEELS</b>			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

This OEM chassis and cab with a conventional 4-door, extended cab, and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79H - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F450
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X47
PAYLOAD min. kg. (lbs.)	3578 (7888)	7821
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	6802 (15,000) / 7256 (16,000)	15000
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8 / 10.6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R
<b>TOWING</b>		
FRONT TOW HOOKS	min.	comply

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

#### Item # 79H - OPTIONAL EQUIPMENT

ENGINE		FORD F450
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std
	Eng-Cyl/HP/Torque	10/6.8,310,425
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

This OEM chassis and cab with a conventional 4-door, extended cab, and front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79J - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F550
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		X57
PAYLOAD min. kg. (lbs.)	4667 (10,288)	10,221
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	7936 (17,500)/ 8163 (18,000)	17500
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	1016.8	10/6.8
HORSEPOWER (min)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R
<b>TOWING</b>		
FRONT TOW HOOKS	min.	comply

## Table 16 - CONTINUED

### CHASSIS AND CAB, EXTENDED CAB, 4X4

#### Item # 79J - OPTIONAL EQUIPMENT

		FORD F550
<b>ENGINE</b>		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std
	Eng-Cyl/HP/Torque	10/6.8,310,425
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>EXTERIOR</b>		
DRL	DAYTIME RUNNING LIGHTS	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
<b>TIRES AND WHEELS</b>		
TD	DELETE SPARE TIRE ASSEMBLY	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

# Table 17

## CHASSIS AND CAB, CREW CAB, 4X2

This OEM chassis and cab with a conventional 4-door crew cab and bench front seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

### Item # 73E - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F250
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		W20
PAYLOAD min. kg. (lbs.)	1368 (3017)	3017
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3854 (8500) / 4036 (8900)	8800
CAB TO AXLE cm. (in.)	142 (56)	56
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4
HORSEPOWER (min.)	260	260
TORQUE (ft.-lb.)	350	350
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (CCA)	600	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi speed w/washers	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	143 (38)	38
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16 w/single rear	16
TIRES	LT235/R/AS	LT235/R/AS

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

#### Item # 73E - OPTIONAL EQUIPMENT

ENGINE		FORD F250
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
AT	ALL TERRAIN TIRES	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

This OEM chassis and cab with a conventional 4 door, crew cab, and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 73F - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM C2500HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W30	CC25943 HD
PAYLOAD min. kg. (lbs.)	1769 (3900)	4121	3900
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200) /4489 (9900)	9900	9200
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	98 (26)	38	26
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT245/R/AS	LT265/R/AS	LT245/R/AS



## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

#### Item # 73F - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM C2500HD
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	SOLID BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

This OEM chassis and cab with a conventional 4 door, crew cab and split front bench seat, specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74E - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM C3500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W32	CC35943
PAYLOAD min. kg. (lbs.)	2340 (5158)	5158	5700
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4988 (11,000) / 5668 (12,500)	11,200	11400
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	V8-V10	10/6.8	8/6.0
HORSEPOWER (min.)	300	310	300
TORQUE (ft.-lb.)	360	425	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	comply
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	98 (26)	38	26
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
<b>SAFETY</b>			
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	LT225/R/AS	LT235/R/AS	LT215/R/AS

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

#### Item # 74E - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM C3500
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std	Available
	Eng-Cyl/HP/Torque	6.8L,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	SOLID BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
AT	ALL TERRAIN TIRES	Available	Available
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

This OEM chassis and cab with a conventional 4 door, crew cab, and bench front seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74F - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F450
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		W46
PAYLOAD min. kg. (lbs.)	3666 (8083)	8083
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	6802 (15,000) / 7256 (16,000)	15,000
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
EXTRA WIDE MIRRORS, CAMPER TYPE	min.	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	40	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS	commercial 225/R/AS

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

#### Item # 74F - OPTIONAL EQUIPMENT

ENGINE		FORD F450
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
TT	TRACTION TREAD--REAR TIRES ONLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

This OEM chassis and cab with a conventional 4 door, crew cab, and bench front seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 74G - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD F550
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		W56
PAYLOAD min. kg. (lbs.)	4755 (10,483)	10,483
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	7936 (17,500) / 8163 (18,000)	17,500
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	Intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm stereo w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS	commercial 225/R/AS

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X2

#### Item # 74G - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F550
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available
ENGINE		
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
TT	TRACTION TREAD--REAR TIRES ONLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available





## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

This OEM chassis and cab with a conventional 4 door, and bench front seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 77E - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F250
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		W21
PAYLOAD min. kg. (lbs.)	1,383 (3,050)	2210
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3,854 (8,500)/ 4,036 (8,900)	8800
CAB TO AXLE cm. (in.)	142 (56)	56
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8/5.4	8/5.4
HORSEPOWER (min.)	260	260
TORQUE (ft.-lb.)	350	350
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	750	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply
SKID PLATE		comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	38	38
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	16 w/single rear	16
TIRES	LT236/R/AT	LT235/R/AT

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

#### Item # 77E - OPTIONAL EQUIPMENT

ENGINE		FORD F250
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
TOWING		
FTH	FRONT TOW HOOKS	Std
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

This OEM chassis and cab with a conventional 4-door crew cab and split front bench seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 78E - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM K2500HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W31	CK25943 HD
PAYLOAD min. kg. (lbs.)	1611 (3551)	3551	3600
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200) / 4489 (9900)	9900	9200
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply	comply
SKID PLATE		comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	98 (26)	38	26
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	OEM std	manual	automatic
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT235/R/AT	LT 265-AT	LT245/R/OO
<b>TOWING</b>			
FRONT TOW HOOKS	min.	comply	comply

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

#### Item # 78E - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM K2500HD
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	SOLID BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

This OEM chassis and cab with a conventional 4-door crew cab and split front bench seats, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79E - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F350	GM K3500HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W33	CK35943
PAYLOAD min. kg. (lbs.)	2145 (4731)	4731	5400
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4988 (11,000) / 5668 (12,500)	11,200	11400
CAB TO AXLE cm. (in.)	142 (56)	56	56
<b>ENGINE</b>			
ENGINE TYPE (cylinder/liter)	8 / 5.4	10/6.8	8/6.0
HORSEPOWER (min.)	300	310	300
TORQUE (ft.-lb.)	360	425	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
TRANSFER CASE	2 - speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	4.1
<b>ELECTRICAL</b>			
ALTERNATOR min. (amps)	130	130	130
BATTERY min. (cca)	600	750	600
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers req	comply	comply
SKID PLATE		comply	comply
<b>DOORS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
<b>FUEL</b>			
FUEL CAPACITY min. liters (gals.)	98 (26)	38	26
<b>INTERIOR</b>			
AIR CONDITIONING	req	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	vinyl	vinyl	vinyl
FLOOR COVERING	vinyl	comply	comply
<b>SEATS</b>			
SEATING CAPACITY	6/SF	6	6
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	OEM std	manual	automatic
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	LT215/R/AT	LT 235 AT	LT215/R/OO

# Table 17 - CONTINUED

## CHASSIS AND CAB, CREW CAB, 4X4

### Item # 79E - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F350	GM K3500
CA6	60 IN CA FOR 9 - 10 FT BODIES	Available	N/A
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Std	Available
	Eng-Cyl/HP/Torque	10/6.8,310,425	8/8.1,340,455
YD	DIESEL ENGINE	Available	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550	8/6.6,300,520
EH	ENGINE BLOCK HEATER	Available	Available
TRANSMISSION			
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
DRIVE AXLE			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
INTERIOR			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
SRG	SLIDING REAR WINDOW	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
CM	CARPETED FLOOR COVERING	Available	Available
CU	CLOTH UPHOLSTERY	Available	Available
SEATS			
BF	BENCH FRONT SEAT	Available	N/A
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available	Available
TIRES AND WHEELS			
TD	DELETE SPARE TIRE ASSEMBLY	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

This OEM chassis and cab with a conventional 4-door crew cab and bench front seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79D - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F450
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		W47
PAYLOAD min. kg. (lbs.)	3530 (7783)	7716
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	6802 (15,000) / 7256 (16,000)	15000
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
TRANSFER CASE	2 - speed	2 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	Req	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
TIRES AND WHEELS		
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R
<b>TOWING</b>		
FRONT TOW HOOKS	min.	comply



## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

#### Item # 79D - OPTIONAL EQUIPMENT

		FORD F450
<b>BODY/CHASSIS</b>		
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available
<b>ENGINE</b>		
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
<b>TRANSMISSION</b>		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>EXTERIOR</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
<b>TIRES AND WHEELS</b>		
TD	DELETE SPARE TIRE ASSEMBLY	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

This OEM chassis and cab with a conventional 4 door, crew cab, and bench front seat, as specified, shall be suitable for the subsequent mounting of various applicable styles of truck bodies.

#### Item # 79G - 4X4

GSA COMPONENTS	GSA MIN. REQ.	FORD F550
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		W57
PAYLOAD min. kg. (lbs.)	4621 (10,188)	10,121
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	7936 (17,500) / 8163 (18,000)	17500
CAB TO AXLE cm. (in.)	152 (60)	60
<b>ENGINE</b>		
ENGINE TYPE (cylinder/liter)	8-10 / 6.8	10/6.8
HORSEPOWER (min.)	310	310
TORQUE (ft.-lb.)	425	425
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 - speed
TRANSFER CASE	2 - speed	2 - speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.88
<b>ELECTRICAL</b>		
ALTERNATOR min. (amps)	130	130
BATTERY min. (cca)	600	750
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
SKID PLATE	req	comply
<b>DOORS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
<b>FUEL</b>		
FUEL CAPACITY min. liters (gals.)	151 (40)	40
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	vinyl	vinyl
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	6/BF	6
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	OEM std	manual
WHEEL DIAMETER	19.5 w/dual rear	19.5
TIRES	commercial 225/R/AS-F/TT-R	commercial 225/R/AS-F/TT-R
<b>TOWING</b>		
FRONT TOW HOOKS	min.	comply

## Table 17 - CONTINUED

### CHASSIS AND CAB, CREW CAB, 4X4

#### Item # 79G - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD F550
CA8	CAB TO AXLE LENGTH 213 CM (84 IN)	Available
ENGINE		
YD	DIESEL ENGINE	Available
	Eng-Cyl/HP/Torque	8/6.0,325,550
EH	ENGINE BLOCK HEATER	Available
TRANSMISSION		
T6	6-SPEED MANUAL TRANSMISSION	Available
PT	POWER TAKE OFF OPENING	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DRL	DAYTIME RUNNING LIGHTS	Available
INTERIOR		
AP	ADJUSTABLE OPERATING PEDALS	Available
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
DA	DELETE AIR CONDITIONING	Available
SK	METRIC ODOMETER	Available
SRG	SLIDING REAR WINDOW	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
CM	CARPETED FLOOR COVERING	Available
CU	CLOTH UPHOLSTERY	Available
SEATS		
RS	RECLINING BUCKET/CAPTAIN'S CHAIRS	Available
SF	SPLIT FRONT BENCH SEAT	Available
TIRES AND WHEELS		
TD	DELETE SPARE TIRE ASSEMBLY	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available